

	Hits	Search Text	DBs
1	1196	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	49	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	360	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	27	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	14	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	1	5961593.pn.	USPAT
7	1	6591291.pn.	USPAT
8	68	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	40	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))) not (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) or (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)) or (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	4	("5999971" "6275934" "6286098" "6289318").PN.	USPAT
11	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
12	2	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	64	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	160	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (user near3 (confidential\$3 or priva\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	41	((network near2 usage) with ((data or information) near3 collect\$3)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	84	collect\$4 and aggregat\$3 and data and (network near2 usage) and profile and user and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	2467	((network or internet) near3 (traffic or usage or data)) with collect\$3) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	9	((network or internet) near3 (traffic or usage or data)) with collect\$3) and @ad<20000630) and (((user or customer or behavior) near2 (profile or record or history)) with (privacy or confidential\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	4026	713/200;709/223-224;705/10.ccls. and @ad<20000630	USPAT; US-PGPUB
20	219	(713/200;709/223-224;705/10.ccls. and @ad<20000630) and (((internet or network) near3 (usage or traffic or data)) with collect\$3)	USPAT; US-PGPUB
21	35	((713/200;709/223-224;705/10.ccls. and @ad<20000630) and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	USPAT; US-PGPUB
22	1	("5315580").PN.	USPAT
23	1	("5317564").PN.	USPAT
24	0	(network adj usage) and (online adj privacy) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	0	(network adj traffic) and (online adj privacy) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	9	(online adj privacy) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	681	705/14,74.ccls. and @ad<20000630	USPAT; US-PGPUB
28	51	(705/14,74.ccls. and @ad<20000630) and ((user or client or customer) near3 (privacy or confidentiality))	USPAT; US-PGPUB
29	21	(705/14,74.ccls. and @ad<20000630) and (anonym\$3 near2 (user or customer or client))	USPAT; US-PGPUB
30	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
31	10	(network adj usage) and (user near3 (privacy or confidentiality)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	87	(network adj (usage or manag\$5)) and (user near3 (privacy or confidentiality)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	75	((network adj (usage or manag\$5)) and (user near3 (privacy or confidentiality)) and @ad<20000630) not ((network adj usage) and (user near3 (privacy or confidentiality)) and @ad<20000630)	USPAT; US-PGPUB
34	93	(hash\$3 near3 (id or identifier or IP)) with (database or record) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	264	((mobile adj subscriber adj Isdn) or msisdn) and @ad<20000630	USPAT; US-PGPUB
36	8	((mobile adj subscriber adj Isdn) or msisdn) near2 unique)and @ad<20000630	USPAT; US-PGPUB
37	1	("6683954").PN.	USPAT

	Hits	Search Text	DBs
38	1	((area adj code) near5 (exchange)) with classification) and @ad<20000630	USPAT; US-PGPUB
39	4	((area adj code) with (exchange)) same classification) and @ad<20000630	USPAT; US-PGPUB
40	1291	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	62	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	18	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) and anonym\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	29	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	17	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	52	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))) not (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) or (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)) or (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	4	("5999971" "6275934" "6286098" "6289318").PN.	USPAT
47	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT
48	2	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	69	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<20000630) and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	45	((network near2 usage) with ((data or information) near3 collect\$3)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	43	((713/200;709/223-224;705/10.ccls. and @ad<20000630) and (((interntet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	USPAT; US-PGPUB
52	52	(705/14,74.ccls. and @ad<20000630) and ((user or client or customer) near3 (privacy or confidentiality))	USPAT; US-PGPUB
53	21	(705/14,74.ccls. and @ad<20000630) and (anonym\$3 near2 (user or customer or client))	USPAT; US-PGPUB
54	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467") .PN.	USPAT
55	10	(network adj usage) and (user near3 (privacy or confidentiality)) and @ad<20000630	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	35	(target\$3 near2 advertis\$5) with (zip or "area code" or state)	USPAT